



FIT



DURABLE



STRETCH

BALD-EAGLE

11-166



CHARACTERISTICS

- 'Mechanic' glove made of premium pig grain leather
- Blue breathable stretch back
- Double-stitched seams in critical areas
- Unlined model
- Comfortable glove with good fit
- Velcro[®] closure ensures flexible and perfect fit

Article number: 1.11.166.00

SUITABLE FOR ACTIVITIES IN E.G.

- Automotive
- Construction
- Government Services
- Maintenance
- Transport & logistics
- Leisure

COLOR

Blue/white

SIZES

8/M to 11/XXL

PACKAGING

- 1 pair per headercard
- 12 pairs per bundle
- 72 pairs per outer box

EN 388:2016+A1:2018




3112X



EN ISO 21420:2020

PRODUCT INFORMATION

SIZE	ARTICLE NO.	EAN CODE 1 PAIR (HEADERCARD)	EAN CODE 12 PAIRS (BUNDLE)	EAN CODE 72 PAIRS (OUTERBOX)
8/M	1.11.166.08	8718249064029	8718249064036	8718249064043
9/L	1.11.166.09	8718249064050	8718249064067	8718249064074
10/XL	1.11.166.10	8718249064081	8718249064098	8718249064104
11/XXL	1.11.166.11	8718249064111	8718249064128	8718249064135



CLARIFICATION OF PICTOGRAMS

EN388:2016
+A1:2018

3112X

EN388:2016
+A1:2018

abcdef

Protection against mechanical hazards

- A = Scuff resistance (0-4)
- B = Cut resistance (0-5)
- C = Tear resistance (0-4)
- D = Puncture resistance (0-4)
- E = Cut resistance (in accordance with EN ISO 13977 (A to F))
- F = Impact resistance (optional) (P = Passed)

Note: X = untested or not applicable

STORAGE CONDITIONS

The gloves should be kept in a clean, cool and dry place and not kept compressed in their original packaging. Do not expose the gloves to direct sunlight. Make sure that the packaging and the gloves are not damaged during shipping.

TESTING INSTITUTE

These gloves are certified by: CTC (Notified Body no. 0075), 4 Rue Hermann Frenkel 69367 Lyon, Cedex 07, France.

DECLARATION OF CONFORMITY

For a copy of the declaration of conformity, we refer you to the following link: www.oxxa.work/doc

RELATED PRODUCTS



BALD-EAGLE-WINTER
47-166
Art. no. 1.47.166.00



X-MECH
51-600
Art. no. 1.51.600.00

YOUR SUPPLIER: